



सत्यमेव जयते

# The Gazette of Meghalaya

## PUBLISHED BY AUTHORITY

No. 36

Shillong, Thursday, September 4, 2025

13<sup>th</sup> Bhadra, 1947 (S. E.)

Separate paging is given on this part in order that it may be filed as a separate compilation.

### PART-IX

Advertisements and Notices by Government Offices and Public Service

NOTICES

STANDARD FORM OF APPLICATION

Photo

Dated .....

To,

.....  
.....

Sir/Madam,

I beg to apply for the post of .....  
and furnish the facts as below. In case of any false statement, I am liable to any action Govt. may deem fit  
and proper. A Treasury Challan of ₹ ..... vide T. V. No. .... is attached herewith.

Signature of the Applicant.

1. Full name in CAPITAL LETTERS with aliases, if any, surname first (Please do not use any initials):  
.....

2. Date of Birth : .....  
Year Month Date

3. Place of Birth : .....  
Village/Town Police Station District

4. Father's/Mother's and Husband's name (in case of married female) (Please do not use initials):  
.....

5. Personal description :

(a) Height:..... M. .... Cm.

(b) Colour of eyes: .....

(c) Colour of hair: .....

(d) Visible distinguishing marks (if any):.....

6. (a) Permanent address in full: ..... (b) Present address in full:  
.....  
.....

(c) If you have not resided at the above address continuously for the last four years, please give the  
other addresses where you have resided during the period.

.....  
From To Address

## 7. References:-

Name and address of two responsible persons in your localities who would be prepared to vouch for you:

.....  
 .....

## 8. Are you citizen of India? If so, how? (Copy of a Citizenship Certificate should be enclosed where necessary).

.....

## 9. Educational and other qualifications (Please attached copies of Certificates, Mark Sheets etc.)

Sl. No.	Name of Institution	Date of entering	Date of leaving	Examination passed	Division	Subjects taken
1	2	3	4	5	6	7
1						
2						
3						
4						
5						

## 10. Community: .....

(a) State your religion: .....

(b) Are you a member of Scheduled Castes/Scheduled Tribes (Answer 'Yes' or 'No'. If 'Yes' give particulars supported by a Certificate (Copy to be enclosed).

.....

## 11. Present occupation, if any: .....

## 12. Previous appointment held, if any: .....

## 13. Are you a temporary/retrenched personnel of temporary Department, Government of Meghalaya (Answer "Yes" or "No". (If "Yes" give particulars):

.....

## 14. Are you trained in or a member of the National Cadet Corps/Territorial Army/Scout or Guides? If so, give particulars.

.....

## 15. Are you married or unmarried? .....

Signature

.....

**Note:-** (i) Modified *vide* Govt. O.M. No.PER(AR).123/78/143-A, dated 26<sup>th</sup> September, 2016.

(ii) Particulars are to be filled in below the column in the space provided.

Shillong, the 18<sup>th</sup> August, 2025.

**SHORT NOTICE INVITING TENDER**

**No.PW/TB/RD/151/2025/1.** - Sealed tenders subsequently to be drawn up in M.P.W.D. F-2 form of tender agreement duly affixed with a non-refundable Court Fee Stamp of ₹ **2000.00 (Rupees two thousand)** only, are hereby invited in 2 (two) cover bid system *i.e.* Technical and Financial Bid by the Undersigned on behalf of the Governor of Meghalaya from Registered Class-I P. W.D. (Roads) Contractors of Meghalaya State for under mentioned work and will be received in this office (in Room No.210) on **8<sup>th</sup> September, 2025** upto **3:00 P.M.** The tenders will be opened on the same day at **3:30 P.M.** in presence of the tenderers or their authorized representatives who so desire to witness the opening of the bids. If the date of receiving of tenders happens to be a holiday, the next working day will be considered as the date of receiving and opening of tenders.

Detailed tender papers may be obtained from the Technical Branch (Roads) (Room No.210) of this office from **23<sup>rd</sup> August, 2025 to 28<sup>th</sup> August, 2025 upto 3:00 P.M.** on payment of ₹ **2,000.00 (Rupees two thousand)** only as applicable, non-refundable in cash payable to the Cashier of this office on any working day, from **11:00 A.M. upto 3:00 P.M.**

(i) Name of Work:-	Construction including Metalling and Blacktopping of Wasim Dajongpara to Damalgre under RIDF-XXX.						
(ii) Approximate Value of Work:-	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 60%;">Work Component</td> <td style="text-align: right;">= ₹ 2,58,34,000.00</td> </tr> <tr> <td>Maintenance (5 Year)</td> <td style="text-align: right;">= ₹ 26,73,173.00</td> </tr> <tr> <td></td> <td style="text-align: right;"><b>₹ 2,85,07,173.00</b></td> </tr> </table> <p>(Rupees two crores eighty five lakhs seven thousand one hundred seventy three) only.</p>	Work Component	= ₹ 2,58,34,000.00	Maintenance (5 Year)	= ₹ 26,73,173.00		<b>₹ 2,85,07,173.00</b>
Work Component	= ₹ 2,58,34,000.00						
Maintenance (5 Year)	= ₹ 26,73,173.00						
	<b>₹ 2,85,07,173.00</b>						
(iii) Nature of Works:-	1) Earth Work 2) Granular Sub-Base 3) Grading 2, Metal 4) Grading 3, Metal 5) Black Topping 6) CD Work.						
(iv) Time of Completion:-	24 (Twenty four) months from the date of issue of Final Work Order.						
(v) Rates:-	Rates are to be quoted on flat percentage basis, <i>i.e.</i> , AT PAR/ABOVE the Schedule of Rates for Roads and Bridge under Tura and Williamnagar Circle for the year 2018-19.						
(vi) Other details can be seen in the Detailed Notice Inviting Tender.							
(vii) Payment of bills will be made subject to availability of fund.							

Successful Non-Tribal Contractor shall have to furnish valid Trading License from the Concerned Autonomous District Council in Meghalaya prior to issuing of Work Order.

**B. M. SYIEM,**  
Chief Engineer, P.W.D. (Roads),  
Meghalaya, Shillong.

Shillong, the 18<sup>th</sup> August, 2025.

**SHORT NOTICE INVITING TENDER**

**No.PW/TB/RD/153/2025/1.** - Sealed tenders subsequently to be drawn up in M.P.W.D. F-2 form of tender agreement duly affixed with a non-refundable Court Fee Stamp of ₹ **2000.00 (Rupees two thousand)** only, are hereby invited in 2 (**two**) cover bid system *i.e.* Technical and Financial Bid by the Undersigned on behalf of the Governor of Meghalaya from Registered Class-I P. W.D. (Roads) Contractors of Meghalaya State for under mentioned work and will be received in this office (in Room No.210) on **8<sup>th</sup> September, 2025** upto **3:00 P.M.** The tenders will be opened on the same day at **3:30 P.M.** in presence of the tenderers or their authorized representatives who so desire to witness the opening of the bids. If the date of receiving of tenders happens to be a holiday, the next working day will be considered as the date of receiving and opening of tenders.

Detailed tender papers may be obtained from the Technical Branch (Roads) (Room No.210) of this office from **23<sup>rd</sup> August, 2025** to **28<sup>th</sup> August, 2025** upto **3:00 P.M.** on payment of ₹ **2,000.00 (Rupees two thousand)** only as applicable, non-refundable in cash payable to the Cashier of this office on any working day, from **11:00 A.M.** upto **3:00 P.M.**

(i) Name of Work:-	Construction including MBT of road from 88 <sup>th</sup> Km. of NH-62 to Mengkulgittim (0.00-1.00 Km.).
(ii) Approximate Value of Work:-	Work Component = ₹ <b>1,00,85,000.00</b> (Rupees one crore eighty five lakhs) only.
(iii) Nature of Works:-	1) Earth Work 2) Metalling and Black Topping 3) Protection Works (Pucca Drain := 350m) 4) Cross Drainage works( 1.5m=3 nos)
(iv) Time of Completion:-	24 (Twenty four) months from the date of issue of Final Work Order
(v) Rates:-	Rates are to be quoted on flat percentage basis, <i>i.e.</i> , AT PAR/ABOVE the Schedule of Rates for Roads and Bridge under Tura and Williamnagar Circle for the year 2018-19.
(vi) Other details can be seen in the Detailed Notice Inviting Tender.	
(vii) Payment of bills will be made subject to availability of fund.	

Successful Non-Tribal Contractor shall have to furnish valid Trading License from the Concerned Autonomous District Council in Meghalaya prior to issuing of Work Order.

**B. M. SYIEM,**  
Chief Engineer, P.W.D. (Roads),  
Meghalaya, Shillong.

Shillong, the 20<sup>th</sup> August, 2025.

**REQUEST FOR PROPOSALS (RFPs) FOR BIO-MINING OF LEGACY WASTE LOCATED AT 7 URBAN LOCAL BODIES (ULB's) MANAGEMENT CONTRACT THROUGH NATIONAL COMPETITIVE BIDDING.**

**No.DUA(U)Tech/76/2025/2.** - Request for Proposals (RFPs) are invited from reputed Companies/Firms/ Agencies/Individual/Organizations/Institution interested to associates with the Urban Affairs Department, Government of Meghalaya for "**Bio-mining Legacy waste at the Dumpsite in 7 (Seven) Urban Local Bodies (ULB's) via Management Contract Through National Competitive Bidding**".

Sl. No.	Name of Boards	Total Legacy Waste
1.	Legacy Waste at Williamnagara Dumpsite	38,400 MT
2.	Legacy Waste at Resubelpara Municipal Board Dumping Ground, Mongpangro.	21,600 MT
3.	Legacy Waste at Arapara Dumpsite Baghmara, South Garo Hills.	9,925.5 MT
4.	Legacy Waste at Mynkjai Dumpsite, West Jaintia Hills.	67,470 MT
5.	Legacy Waste at Mawsmal and Mawkadiang Dumpsite Nongstoin West Khasi Hills District.	22,686 MT
6.	Legacy Waste at Nongpoh Dumpsite.	55,191.690 MT
7.	Legacy Waste at Mairang Dumpsite.	18,600 MT

Interested parties shall submit their Proposal/Bids in sealed envelope to the office of the undersigned on or before **14:00 Hours IST on 12<sup>th</sup> September, 2025** and it will be opened at **15:00 Hours IST** on the same day if the date of submission happens to be a holiday, it will be opened on the next working day.

The Department reserves the right to reject or accept, modify, withdraw or cancel the process without assigning any reason thereof.

Details Bid Document will be available in the office of the undersigned during working hours from **26<sup>th</sup> August, 2025 upto 12<sup>th</sup> September, 2025** on payment ₹ 25,000/-.

Director, Urban Affairs,  
Meghalaya, Shillong.

Shillong, the 19<sup>th</sup> August, 2025.

**NOTICE INVITING REQUEST FOR PROPOSAL (RFP)**

**No.M/D-Tour/Tech/37/2025/5.** - The Director of Tourism, Shillong, Meghalaya (India) (Authority) through the process of open tendering seeks proposals from eligible bidders for RFP for **Renovation, Operation, Maintenance, Marketing, Management and Transfer of Wayside Amenities on License basis at Bajengdoba, North Garo Hills Dist. Meghalaya.**

Sl. No.	Description	Details
1	<b>Project Name</b>	Renovation, Operation, Maintenance, Marketing, Management and Transfer of Wayside Amenities on License basis at Bajengdoba, North Garo Hills Dist., Meghalaya.
2	<b>Bidding Process</b>	Single Stage.
3	<b>Type of Bidding</b>	Offline Tender.
4	<b>RFP Document Fee</b>	₹ 11,800 (₹ 10,000+18% GST).
5	<b>Bid Security</b>	₹ 2.50 Lakh.
6	<b>Performance Security</b>	Equivalent to Annual Rent.
7	<b>Bidding Parameter/Bid Variable</b>	Annual License Fee.
8	<b>Validity of Bids</b>	120 days from the Bid Due Date.
9	<b>Downloading of RFP Documents</b>	20 <sup>th</sup> August, 2025.
10	<b>Submission of queries/clarifications</b>	1 <sup>st</sup> September, 2025.
11	<b>Pre-Bid Meeting</b>	5 <sup>th</sup> September, 2025, 12 Noon.
12	<b>Response to Pre-Bid Queries</b>	15 <sup>th</sup> September, 2025.
13	<b>Bid Due Date</b>	22 <sup>nd</sup> September, 2025, 5:00 P.M.
14	<b>Opening of Technical Bids</b>	24 <sup>th</sup> September, 2025, 11:00 A.M.

The details of the RFP document can be downloaded from the website [www.meghalayatourism.in](http://www.meghalayatourism.in)

Director of Tourism,  
Meghalaya, Shillong.

Shillong, the 19<sup>th</sup> August, 2025.

**NOTICE INVITING REQUEST FOR PROPOSAL (RFP)**

**No.M/D-Tour/Tech/68/2025/2.** - The Director of Tourism, Shillong, Meghalaya (India) (Authority) through the process of open tendering seeks proposals from eligible bidders for RFP. This Request for Proposal (RFP) is for the selection of developer for **"Re-development, Operation and Maintenance of Polo Orchid Hotel, located at Tura, West Garo Hills District, Meghalaya to 5 Star Upscale Hotel under Design, Build, Finance, Operate and Transfer (DBFOT) Mode on Public Private Partnership (PPP)"** basis for a **Concession Period of Sixty (60) years** from the Appointed Date.

The Project brief:

Particulars		Description
Area	2.92 acres (approximately)	
Location	Polo Orchid Hotel, Tura, West Garo Hills District, Meghalaya	
Land Ownership	Meghalaya Tourism Development Corporation (MTDC)	
Sl. No.	Event Description	Date
1	Start date of Downloading of RFP document	20 <sup>th</sup> August, 2025
2	Pre-Bid Conference	5 <sup>th</sup> September, 2025
3	Last date for receiving queries	1 <sup>st</sup> September, 2025
4	Reply to pre-bid queries	15 <sup>th</sup> September, 2025
5	Start Date of Bid Submission	20 <sup>th</sup> August, 2025
6	<b>End Date of Bid Submission/Bid Due Date</b>	3:00 p.m. 22 <sup>nd</sup> September, 2025
7	Opening of Technical Proposal	5:00 p.m. 22 <sup>nd</sup> September, 2025

The details of the RFP document can be downloaded from the website [www.meghalayatourism.in](http://www.meghalayatourism.in)

Director of Tourism,  
Meghalaya, Shillong.

Shillong, the 18<sup>th</sup> August, 2025.

**SHORT NOTICE INVITING TENDER**

**No.PW/TB/RD/150/2025/1.** - Sealed tenders subsequently to be drawn up in M.P.W.D. F-2 form of tender agreement duly affixed with a non-refundable Court Fee Stamp of ₹ **2,000.00 (Rupees two thousand)** only are hereby invited in 2 (two) cover bid system *i.e.* Technical and Financial Bid by the undersigned on behalf of the Governor of Meghalaya from Registered Class-I, P.W.D. (Roads) Contractors of Meghalaya State for the under mentioned work and will be received in this office (in Room No. 210) **upto 3:00 P.M. of 9<sup>th</sup> September, 2025.** The tenders will be opened on the same day at **4:30 P.M.** in presence of the tenderers or their authorized representatives who so desire to witness the opening of the bids. If the date of receiving of tenders happens to be a holiday, the next working day will be considered as the date of receiving and opening of tenders.

Detailed tender papers may be obtained from the Technical Branch (Roads) (Room No. 210) of this office from **26<sup>th</sup> August, 2025 to 1<sup>st</sup> September, 2025 upto 3:00 P.M.** on payment of ₹ **4,000.00 (Rupees four thousand)** only as applicable, non-refundable in cash payable to the Cashier of this office on any working day, from **11:00 A.M. upto 3:00 P.M.**

<b>(i) Name of Work:-</b>	<b>Construction of Interlocking Concrete Block in Williamnagar Town (L= 1.982 Km.).</b>
<b>(ii) Approximate Value of Work:-</b>	<b>₹ 4,96,00,000.00 (Rupees four crores ninety six lakhs) only.</b>
<b>(iii) Nature of Works:-</b>	(1) Interlocking Concrete Block (2) Cross Drainage Works (3) Retaining Wall (4) CC Drain.
<b>(iv) Time of Completion:-</b>	24 (twenty four) months from the date of issue of Final Work Order.
<b>(v) Rates:-</b>	Rates are to be quoted on flat percentage basis, <i>i.e.</i> , AT PAR/ABOVE the Schedule of Rates for Roads and Bridge under Tura and Williamnagar Circle for the year 2018-19.
<b>(vi) Other details can be seen in the Detailed Notice Inviting Tender.</b>	

Successful Non-Tribal Contractor shall have to furnish valid Trading License from the Concerned Autonomous District Council in Meghalaya prior to issuing of Work Order.

**B. M. SYIEM,**  
Chief Engineer, P.W.D. (Roads),  
Meghalaya, Shillong.

Shillong, the 21<sup>st</sup> August, 2025.

**CORRIGENDUM**

**No.PW/TB/RD/153/2025/2.** - With reference to the Short Notice Inviting Tender No.PW/TB/RD/153/2025/1, dated Shillong, the 18<sup>th</sup> August, 2025 published in various newspapers of Meghalaya, with respect to the work "**Construction including MBT of road from 88<sup>th</sup> Km. of NH-62 to Mengkulgittim (0.00-1.00 Km.)**" the following changes are hereby notified:-

1. Sale of the tender paper will take place from **25<sup>th</sup> August, 2025, until 28<sup>th</sup> August, 2025.**
2. The tender paper will still be received on **8<sup>th</sup> September, 2025, at 3:00 P.M.** and the tender will be open on the same day at **3:30 P.M.**

All other Terms and Conditions will remain the same.

**B. M. SYIEM,**  
Chief Engineer, P.W.D. (Roads),  
Meghalaya, Shillong.

Shillong, the 21<sup>st</sup> August, 2025.

**CORRIGENDUM**

**No.PW/TB/RD/151/2025/3.** - With reference to the Short Notice Inviting Tender No.PW/TB/RD/153/2025/1, dated Shillong, the 18<sup>th</sup> August, 2025 published in various newspapers of Meghalaya, with respect to the work "**Construction including Metalling and Blacktopping of Wasim Dajongpara to Damalgre under RIDF-XXX**" the following changes are hereby notified:-

1. Sale of the tender paper will take place from **25<sup>th</sup> August, 2025, until 28<sup>th</sup> August, 2025.**
2. The tender paper will still be received on **8<sup>th</sup> September, 2025, at 3:00 P.M.** and the tender will be open on the same day at **3:30 P.M.**

All other Terms and Conditions will remain the same.

**B. M. SYIEM,**  
Chief Engineer, P.W.D. (Roads),  
Meghalaya, Shillong.

NEW SHILLONG TOWNSHIP DEVELOPMENT AGENCY  
LUM SHYLLONG BUILDING, SECRETARIAT HILLS, SHILLONG-793001

Shillong, the 25<sup>th</sup> August, 2025.

**No.NSTDA/Tech/1/2025/4.** - This is to inform to all concerned that the Notice inviting Tender floated *vide* letter No.NSTDA/Tech/1/2025/3, dated 11<sup>th</sup> April, 2025 stand cancelled due to changes in technical specification and scope of works.

**P. K. BORO,**  
New Shillong Township Development Agency,  
Meghalaya, Shillong.

Shillong, the 25<sup>th</sup> August, 2025.

**SHORT NOTICE INVITING TENDER**

**No.PW/TB/RD/156/2025/1.** - Sealed tenders subsequently to be drawn up in M.P.W.D. F-2 form of tender agreement duly affixed with a non-refundable Court Fee Stamp of ₹ **2000.00 (Rupees two thousand)** only, are hereby invited in 2 **(two)** cover bid system *i.e.* Technical and Financial Bid by the Undersigned on behalf of the Governor of Meghalaya from Registered Class-I P.W.D. (Roads) Contractors of Meghalaya State for under mentioned work and will be received in this office (in Room No.210) on **10<sup>th</sup> September, 2025 upto 3:00 P.M.** The tenders will be opened on the same day at **3:30 P.M.** in presence of the tenderers or their authorized representatives who so desire to witness the opening of the bids. If the date of receiving of tenders happens to be a holiday, the next working day will be considered as the date of receiving and opening of tenders.

Detailed tender papers may be obtained from the Technical Branch (Roads) (Room No.210) of this office from **29<sup>th</sup> August, 2025 to 3<sup>rd</sup> September, 2025 upto 3:00 P.M.** on payment of ₹ **2,000.00 (Rupees two thousand)** only as applicable, non-refundable in cash payable to the Cashier of this office on any working day, from **11:00 A.M. upto 3:00 P.M.**

<b>(i) Name of Work:-</b>	<b>Construction including Metalling and Black Topping of a road from Bollongre to Rongmagre via Sekapara (Phase-1) (0.00-2.00 Km) under RIDF XXX during the year 2024-2025.</b>								
<b>(ii) Approximate Value of Work:-</b>	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 60%;"><b>Work Component</b></td> <td style="text-align: right;"><b>= ₹ 2,21,23,000.00</b></td> </tr> <tr> <td><b>Maintenance (5 Year)</b></td> <td style="text-align: right;"><b>= ₹ 22,78,765.00</b></td> </tr> <tr> <td></td> <td style="text-align: right;"><b>₹ 2,44,01,765.00</b></td> </tr> <tr> <td colspan="2"><b>(Rupees two crores forty four lakhs one thousand seven hundred sixty five) only.</b></td> </tr> </table>	<b>Work Component</b>	<b>= ₹ 2,21,23,000.00</b>	<b>Maintenance (5 Year)</b>	<b>= ₹ 22,78,765.00</b>		<b>₹ 2,44,01,765.00</b>	<b>(Rupees two crores forty four lakhs one thousand seven hundred sixty five) only.</b>	
<b>Work Component</b>	<b>= ₹ 2,21,23,000.00</b>								
<b>Maintenance (5 Year)</b>	<b>= ₹ 22,78,765.00</b>								
	<b>₹ 2,44,01,765.00</b>								
<b>(Rupees two crores forty four lakhs one thousand seven hundred sixty five) only.</b>									
<b>(iii) Nature of Works:-</b>	(1) Earth Work (2) Metalling and Blacktopping (3) CD Work.								
<b>(iv) Time of Completion:-</b>	24 (Twenty four) months from the date of issue of Final Work Order.								
<b>(v) Rates:-</b>	Rates are to be quoted on flat percentage basis, <i>i.e.</i> , AT PAR/ABOVE the Schedule of Rates for Roads and Bridge under Tura and Williamnagar Circle for the year 2018-19.								
<b>(vi)</b>	Other details can be seen in the Detailed Notice Inviting Tender.								
<b>(vii)</b>	Payment of bills will be made subject to availability of fund.								

Successful Non-Tribal Contractor shall have to furnish valid Trading License from the Concerned Autonomous District Council in Meghalaya prior to issuing of Work Order.

**B. M. SYIEM,**  
Chief Engineer, P.W.D. (Roads),  
Meghalaya, Shillong.

Shillong, the 27<sup>th</sup> August, 2025.

**AFFIDAVIT**

I, **SMTI. CHRISTINA LYNGDOH MAWNAI**, wife of **Army No.4344323A** (Hav) (L) Maniram Kalita and daughter of (L) Nodalín Lyngdoh Mawnai, aged about 65 years, resident of Lum Khyriem, P.O./P.S. Rynjah, Shillong-06, District East Khasi Hills, Meghalaya do hereby solemnly affirm and declare on oath as follows:-

1. That I am an Indian National and a permanent resident of the aforementioned address.
2. That prior to my marriage I was carrying my maiden and Christian name *i.e.* "**CHRISTINA LYNGDOH MAWNAI**" and subsequent upon my marriage with "**MANIRAM KALITA**" I have adopted my matrimonial name *i.e.* "**KRISHNA KALITA**" and since then I was named called, known, termed and referred to as "**KRISHNA KALITA**".
3. That my actual and correct date of birth is "**18.02.1960**" and the same has been recorded in all my documents.
4. That during the lifetime of my husband Shri Maniram Kalita in his service record he had given my name as "Krishna Kalita" and wrongly given my date of Birth as **01.09.1968**.
5. That after the demise of my husband (L) Maniram Kalita, I have revert back to my original and Christian name *i.e.* "Christina Lyngdoh Mawnai" and got all my documents corrected.
6. That the names "**CHRISTINA LYNGDOH MAWNAI**" and "**KRISHNA KALITA**" is the name of one and the same person *i.e.* myself.
7. That in the Service Record of my Husband and Pension Payment Order (PPO) bearing **No.S/11373/85** my name remains "**KRISHNA KALITA**" and my date of Birth remains as **01.09.1968** and now I intend to change my name and date of Birth in my husband's service record as well as in the PPO on the strength of this affidavit.
8. That this affidavit is sworn-in in the matter of declaring my changing my name from "**KRISHNA KALITA**" to "**CHRISTINA LYNGDOH MAWNAI**" and date of birth from **01.09.1968** to **18.02.1960** in the service record of my deceased husband as well as in the PPO mentioned in para 7 herein above and for submitting the instant affidavit before the concerned authorities as a matter of proof thereof and for all purposes and intents.
9. That the statements made herein-above are true to the best of my knowledge, belief and information.

**CHRISTINA LYNGDOH MAWNAI,**  
Resident of Lum Khyriem, P.O./P.S. Rynjah, Shillong-06,  
District East Khasi Hills, Meghalaya.

Shillong, the 28<sup>th</sup> August, 2025.

**AFFIDAVIT**

I, **SMTI. MAYA RABHA, wife of Shri C. R. Singh**, aged about 62 years, and resident of Reserve Police, Shillong, East Khasi Hills District, Meghalaya, do hereby solemnly affirm and declare on oath as follows:-

1. That I am a bonafide citizen of India and a permanent of the above-mentioned address.
2. That my actual and correct name and surname is **MAYA RABHA**.
3. That inadvertently in my name and surname was wrongly recorded as as "**MOWA DEVI**" instead of "**MAYA RABHA**" in my EPIC Card bearing No.**CRH0664524** dated **11. 12. 2006** issued by the Electoral Registration Officer.
4. That now I intended to correct my name and surname from "**MOWA DEVI**" to "**MAYA RABHA**" as to avoid any confusion in the future.
5. This instant affidavit is sworn in for the purpose of correcting and rectifying my name and surname as stated in the above paragraph, hence this affidavit for making necessary correction with the concerned authority and for all other intents and purposes.

That the statements made herein above are true and nothing has been concealed therein.

**MAYA RABHA,**  
Resident of Reserve Police,  
Shillong East Khasi Hills District,  
Meghalaya.

Shillong, the 2<sup>nd</sup> September, 2025.

**AFFIDAVIT**

I, **SHRI PRAMOD KUMAR SINGH**, aged about 49 years, son of Kamaldeo Singh, permanent resident of Bhusolwa Darmaha, P.O. Rajpur, District-East Champaran Bihar-845432 and currently residing at, C/B-026, Near JJ's Cable, Nongrim Hills, Laitmukhrah, Shillong, East Khasi Hills District, Meghalaya-793003 do hereby solemnly affirm and declare as follows:-

1. That I am a bonafide citizen of India and resident of the above mentioned address.
2. That the name of my son is recorded as **SHAURYA P. KASHYAP** in his Aadhaar Card bearing No.405270788076 and in his Educational Institution.
3. That by virtue of this affidavit I intend to change my son's name as **KASHVIN ISHAN KASHYAP**.
4. That hence forth my son shall be known, named termed, styled, called and referred to as **KASHVIN ISHAN KASHYAP**.
5. That I state that, **SHAURYA P. KASHYAP** and **KASHVIN ISHAN KASHYAP** is the name of the same person *i.e.*, my son.
6. That this Affidavit is sworn-in for the purpose of changing my son's name from **SHAURYA P. KASHYAP** to **KASHVIN ISHAN KASHYAP** and for submitting the same before the concerned authority/ies of Aadhaar Card and Educational Institution of my son as a mark of documentary proof thereof, so as to enable them to rectify the same and for all other intent and purposes.
7. That the statements made herein above are true to the best of my knowledge, belief and information and no material facts have been concealed therefrom.

**PRAMOD KUMAR SINGH,**  
Permanent resident of Bhusolwa Darmaha,  
P.O. Rajpur, District-East Champaran Bihar-845432  
and currently residing at, C/B-026, Near JJ's Cable,  
Nongrim Hills, Laitmukhrah, Shillong,  
East Khasi Hills District, Meghalaya-793003.

Shillong, the 20<sup>th</sup> August, 2025.

**AFFIDAVIT**

I, **Smti. Iaryngkatlin Keri Bareth**, D/o Shri Pynshaibor S. Keri aged about 35 years R/o Rynjah Opposite Police Station, Pdengshnong, East Khasi Hills District, Shillong do hereby solemnly affirm and declare as follows:-

1. That I am citizen of India belonging to Scheduled Tribe Community and a permanent resident of the above mentioned address.
2. That it is a fact that my surname was recorded in my Birth Certificate as **KERI** instead of correct and actual surname.
3. That now I intend and desire to rectify the same in order to avoid any confusion in the future.
4. That my correct and actual surname is **KERI BAREH** as reflected in my Residential Certificate.

*(Copy of my residential certificate is enclosed herewith to substantiate the same)*

5. That **IARYNGKATLIN KERI BAREH** and **IARYNGKATLIN KERI** is one and the same person and nothing concealed therein.
6. That this affidavit is sworn for the purpose of declaring that my correct and actual surname is **KERI BAREH** and not **KERI**, henceforth, I shall be known as **IARYNGKATLIN KERI BAREH** and for the purpose of correcting the same in my Birth Certificate and for all intent and purposes.
7. That the statements made above are true.

**IARYNGKATLIN KERI BAREH,**  
Resident of Rynjah Opposite Police Station,  
Pdengshnong, East Khasi Hills District, Shillong.

DIRECTORATE OF FORENSIC SCIENCES  
MAWDIANGDIANG, SHILLONG

Shillong, the 26<sup>th</sup> August,

**No.DFS.21/2023-24/EQ/Pt-I/30.** - Sealed Tender in 2 (two) Bid system Technical Bid and Financial Bid affixing non-refundable Court Fee Stamp of ₹ 2000/- (**Rupees two thousand**) only are invited from Bonafide, established, reputed manufacturers or their authorized dealer's/agent's/representative for entering into the rate contract for supply, installation and demonstration of "Forensic equipment" for **2025-26** as per the Technical Specifications, in **Annexure "A"** and Terms and conditions laid down in the Tender notice.

**Terms and Conditions**

Items offered must be of reputed companies/manufacturers and should meet with all the specifications as those given in **Annexure A**. Tender should be accompanied with catalogue, warranty/ guarantee or any related papers & will be received up to **1200 hrs.** on the **16<sup>th</sup> September, 2025** and will be opened on the same day at **1400 hrs.** Bidders or their authorized representatives are invited at the time of opening of the tender. Tenders received after **1200 hrs.** of **16<sup>th</sup> September, 2025** by hand or by post will be summarily rejected.

**2. Tender must be accompanied by:-**

- (a) Affixed non-refundable Court Fee Stamp of ₹ 2000/-.
- (b) Tenderers should **quote Specific rate for each item**. Tender must be accompanied by Earnest money @ of 2% for General and 1% for Scheduled Caste/Schedule Tribe of the total amount of Tender value/Contract value. The earnest money preferably should be in the form of (i) Fixed Deposit (ii) Crossed Bank Draft or (iii) Deposit at call duly pledge in favour of the Director, Directorate of Forensic Sciences, Meghalaya, Shillong at any Nationalised Bank at Shillong. The Earnest Money/Security Deposit papers pending in this office in connection with other tenders/supplies shall not be considered as Earnest Money for the tender.
- (c) MSME seeking exemption from submitting EMD will have to produce relevant certificate.
- (d) Attested copy of PAN.
- (e) Valid GST Registration certificate and TIN No. of the tenderer along with latest GSTR-3 filed returns
- (f) Latest financial stability certificate from a Scheduled Bank certifying that the Tenderer is financially sound to undertake the contract.
- (g) Dealership/distributorship/ certificate from the principal manufacturers/sub dealership certificate from the Distributor
- (h) Recent passport size photograph of the Tenderer duly attested.
- (i) Attested Copy of professional Tax Certificate

**3. Further, the following will have to be produced within a period of 10 days after being declared successful bidder and before issue of work order.**

- (a) Attested Copy of ST certificate from Meghalaya for Scheduled Tribe tenderers.
- (b) Attested Copy of Valid Trading Licence from KHADC Meghalaya in case of Non-Tribal Organization/Firms mentioning the correct nature of trade.

**4. The following information must be mentioned on the body of the sealed envelope superscribed "Technical Bid" containing the quotations, failing which the sealed envelope of the quoting firm will not be opened.**

- (a) Valid GST Registration Certificate and latest GSTR-3 filed returns. - is enclosed
- (b) PAN - is enclosed
- (c) Earnest money - is enclosed
- (d) Court Fee stamp - is enclosed
- (e) Dealership certificates from Principal manufacturers. - is enclosed
- (f) Passport size photograph of the bidder should also be enclosed. - is enclosed
- (g) Latest financial stability Certificate from any recognized Bank. - is enclosed

Failure to enclosed any one of these documents or enclosed of any invalid documents will result in automatic rejection of the quotation.

5. **Rates quoted**

- (a) should be inclusive of cost of accessories.
- (b) should be valid for one calendar year from the date of acceptance of tender.
- (c) should be quoted FOR destination Shillong, door delivery Director, Directorate of Forensic Sciences, Meghalaya, Shillong
- (d) Should be inclusive of all Charges like packing, insurance, transit risk and other incidental charges only GST should be shown separately.
- (e) Should be written clearly in figure and in words. Any alteration or overwriting must be fully signed by the tenderers.
- (f) Once the rates offered in the tender are accepted enhancement will not be entertained under any circumstances and tenderers will be liable to supply the items at the accepted rate. Failure to supply the items at the accepted rates will entail the offer being cancelled and the security money will be forfeited to the Government of Meghalaya.

6. Tender should be addressed to the undersigned by designation and not by name. The main envelopes containing the tender must be superscribed as "**Tender for Forensic Equipment** " The other two envelopes to be kept inside the main envelope should be sealed and **superscribed** as "**Technical Bid and Financial Bid separately**."

7. The successful tenderers:-

- (a) Will be intimated by a Letter of Acceptance of the Director, Directorate of Forensic Sciences, Meghalaya, Shillong. Till then no bidder has any right to assume that his/her tender has been accepted. There shall be no claim whatsoever for compensation for any expenditure incurred by any tenderers in anticipation of acceptance letter.
- (b) Will have to furnish attested copy of valid Trading Licence from KHADC Meghalaya (for non-tribal) Regulation Act 1954 by tenderers who are required to obtain such Licence.
- (c) Required to furnish a security deposit as per rates mentioned below and execute the contract agreement to ensure fulfillment of the terms and conditions of the contract which successful bidder/s will have to enter into. Such security deposit will be subjected to forfeiture in case of non-fulfillment of terms and conditions of the tender notice on the contract agreement. The earnest money of the successful tenderer/s will not be released till the full security deposit is furnished. Earnest money of the successful tenderer/s will be forfeited to the Government in case of failure to furnish security money in full.
- (d) ST. Certificate for Tribals from Meghalaya.

**8. RATES OF SECURITY DEPOSIT**

The successful tender will have to deposit Security Deposit @ 10% (for all categories) of the total, amount of the contract. The Security Deposit should be interest free and in the form of a valid Fixed Deposit/Bank Draft/Deposit at Call pledged in favour of the undersigned

9. The Director, Directorate of Forensic Sciences, Meghalaya may rescind forthwith the contract in writing if,
- a) A Tenderer assigns or sublets any contract in respect of contract or any other contract entered into with the Government.
  - b) Tenderer or his agent/Servant are found guilty of fraud of this contract or any other contract.
  - c) Declines, neglect or delays to comply with the demand/requisition or in any other way fails to perform or observe any of or all the conditions of the contract agreement.

In case of such rescission the Security Deposit in full shall stand forfeited and absolutely be at the disposal of the Government without prejudice to any other remedy or action that the Government shall be entitled to recover from the successful Tenderer any extra expenses Govt. may deem necessary in obtaining the supplies.

10. In the event of the successful Tenderer failing to perform his/her part of any or all the contract agreement to the satisfaction of the Department or disregarding any terms and conditions of the Tender Notice and or the contract agreement the successful Tenderer shall be liable to any of or all of the following action at the discretion of the Director, Directorate of Forensic Sciences, Meghalaya, Shillong on behalf of the Government of Meghalaya.
- (i) Forfeiture of security deposit in whole or part.
  - (ii) Making good the loss caused to the Government through the liability, neglect, delay in complying with the demand.
  - (iii) Cancellation of the contract without any prior notice to the contractor.
11. If the successful Tenderer/s willfully neglects, fails to perform or observe any or all conditions of the contract agreement or attempts to cheat or indulge in foul practices, the Director, Directorate of Forensic Sciences, Meghalaya, Shillong may impose a ban upon such Tenderer(s) for future business within the Department.
12. Once the sample/technical specification of the items are approved, no change of brand, name, shape, pattern, quality or specifications will be entertained even on the plea of non-availability of raw materials or alternative offer of the same quality.
13. The store, supplied must be of the same specifications, weight and quality as the tendered models/samples/Tech. Spec. If the items are rejected by the undersigned due to non-meeting of the Technical Specification the supplier must replace the rejected items at their own cost forthwith and in a period of 21 (twenty-one) days from the date of rejection.
14. Delivery, installation and demonstration must be completed within Ninety days from the date of receipt of firm orders. No extension of delivery & installation period will be entertained.
15. Payment will be made to the suppliers directly only on completion of supplies and on correct receipt of goods by the respective consignee in good condition. Documents/vouchers/ P.R. Bills etc. routed through Banks will not be accepted. Consignment will be dispatched by the firm after payment of all freight charges at the source. Freight to pay P.R. will not be accepted.

16. Risk of transportation will be borne by the Tenderer themselves.
17. Comprehensive onsite warranty should be indicated along with after sale services facilities.
18. One set of manuals of (Instructions and Maintenance) should be supplied free of cost for each item wherever applicable
19. The Director, Directorate of Forensic Sciences, Meghalaya, Shillong reserved the right to himself/herself to reject the lowest rate or any of the tender without assigning any reason thereof.
20. Any dispute arising out of or in respect of these terms and conditions of the Contract Agreement shall be in the Jurisdiction of the Courts in Meghalaya
21. PRACTICAL DEMONSTRATION: 10 days of Practical demonstration must be provided to the staff in the Directorate, of Forensic Sciences, Meghalaya, Shillong.

Director,  
Directorate of Forensic Sciences,  
Meghalaya, Shillong.

**ANNEXURE "A"**

DIRECTORATE OF FORENSIC SCIENCES  
MEGHALAYA, SHILLONG

**LIST OF EQUIPMENT AND ITS SPECIFICATION**

**1. Transmitted Light Compound Microscope**

<b>Specifications:</b>
<b>Microscope Body:</b> Manual Upright Research grade ergonomic microscope stands with Koehler Illumination suitable for brightfield and upgradable to dark field, phase contrast, polarization contrast, and fluorescence to suit the needs. Integrated Long life LED of at least 50000 hrs. for Transmitted Light illumination. Should maintain constant colour temperature at all magnifications. Stand should have 2 step focus drive for coarse and fine focussing including ergonomic height adjustability of focus knobs. Backward oriented revolving nosepiece with minimum 5 positions or better.
<b>Condenser:</b> Condenser lens CL/LS with CL/PH 0.90/1.25 Oil, with slot for light ring slide DF-CL
<b>Objectives:</b> Obj. HI PLAN EPI 5x/0.12 Obj. HI PLAN 10x/0.25 Obj. HI PLAN 20x/0.40 Obj. HI PLAN 63x/0.75 Obj. HI PLAN 100x/1.25 OIL Objective should be Excellent Flatness corrected with Transmission efficiency $\geq 80\%$ .
<b>Eye piece:</b> Harmonic corrected PLAN s 10x/ 22 mm FOV.
<b>Observation tube:</b> Ergonomic 15° tube HC.
<b>Stage:</b> Mechanical Rotatable stage with right hand operation x/y control, slide holder for 2 slides, travel range 76x52mm, with ceramic stage plate, rotatable 110° or higher.

The microscope should be <b>Antimicrobial treated touch point</b> to inhibit the growth of micro-organism on the microscope to help prevent the spread of disease via microscope surfaces for a healthier laboratory environment
<b>Certifications</b> and RoHS/IVD, ISO certifications for the quoted microscope model should be provided.
Min 5 nos. of installation report/user satisfactory certificate for same or similar instruments from reputed Govt. Research Organizations preferably from NE Region should be submitted.
The bidder should have local after sales service support facility in Shillong/Meghalaya to attend any service call within 72 hours and proven track record of providing service for the same or similar instruments in this region and should provide the contact details of the same.
Onsite Installation and demonstration of equipment should include necessary literature, operational procedures and training of end uses in the laboratory.
Warranty: 2 Years from the date of installation with a minimum of 2 service visits per year during warranty period.

## 2. TECHNICAL SPECIFICATION OF MOBILE FIRING REST

### Mobile Firing Rest

Sl. No.	Technical Details
1.1	The device should be able to hold standard and country made firearms like hand guns, rifles, carbine, shotguns etc and provision to fire by remote control for the following calibers (0.22 inch, 6.35 mm /0.25 inch, 7.65 mm, 9x18 mm pistol, 9x19 mm, 0.45 inch, 7.63 mm/0.30 inch pistol, 0.32 inch, 0.38 inch, 0.455 inch revolvers, 0.303 inch, 8 mm/0.315 inch, 0.30-06 inch rifle, 7.62x51mm (SLR), 7.62x39 mm, 5.56x39 mm, 5.56x45 mm assault rifle, 12.7 mm caliber, 14.5 mm caliber, 12 bore gun of different make, carbine and <b>any country made/ improvised firearms</b> ).
1.2	Height of mobile rest table 1000 to 1300 mm (approx.).
1.3	Length of mobile rest table 1300 to 1400 mm (approx.).
1.4	Width of mobile rest table 600-800 mm (approx.).
1.5	Firing rest must be sturdy to keep on floor and fix, if required. Facility to attach breech block and proof barrel as a spare unit later on, if needed on same rest unit.
1.6	Tow bar facility- for mobile application to move Firing rest within the range.
1.7	Recoiling parts mass (without clamping adapters and weapon) – up to 36Kg.
1.8	Handling space for weapons - Approximately 150 x280x900 mm.
1.9	Manual as well as Remote control firing at a distance of 20 meter.
1.10	Remote unit can be programmed for the following parameters (1) Stroke distance (2) Force (3) Velocity of trigger (4) Firing shots (5) Delay time for shots (6) Single and burst mode (7) Length of cable 20 meters.
1.11	Trigger pull resistance should have range of 1 Kg to 12 Kg. along with software for recording of data and print report. System should display result of trigger pull along with graph on PC online. Also, remote fire unit parameter that can be control thru PC. Copy of report, must include in tech bid.
1.12	Laser pointing device for aiming on firing.
1.13	Suitable clamping adapters for all above mentioned calibers of firearms including improvised weapon.

1.14	No clamping impressing marks on firearms after firing
1.15	Weapon should not slip during firing
1.16	Azimuth range $\pm 5^\circ$ left and right movement, Elevation range $\pm 5^\circ$ up and down movement.
1.17	<b>ACCESSORIES:</b> Level III+ Jacket with 360-degree protection-1, Bullet Resistant Helmet Level IIIA-1, Eye Protective Goggles 3, Earmuff- Branded international level quality-3
1.18	Main Voltage 220 volts +/- 10 & 50 Hz.
1.19	OEM should have specific license to manufacture Ballistic instruments, with proper test firing range for product's quality checking of manufactured product. OEM must attach quality certificate of test conducted before shipment.
1.20	OEM should have certificate from National / International third-party organization for quality assurance for design, development and production of ballistic instruments.
1.21	Reference of supply of same quoted model by OEM direct or through distributor along with satisfactory acceptance report to 3 FSL/Forensic units
1.22	Laptop – Processor: 12 <sup>th</sup> Generation Intel Core i5 1334U (12 MB cache, 10 cores 12 thread, up to 4.60 GHz) Graphics: Intel Iris Xe Graphics RAM: 16 GB 2 x 8 GB, DDR5, 5200 MT/s OS Drive: 1TB M.2nPCIeNVMe Solid State Drive Platform: Win 11 Professional Pre-Installed  Software: Antivirus for Malware Protection and MS-Office 2024 edition, English International backlit Copilot key keyboard Display: 14", Touch, FHD+ 1920x200, 60Hz, WVA, IPS, 250 nit, with color printer.
1.23	<b>INSTALLATION EXPERIENCE</b> <ul style="list-style-type: none"> <li>• Reference of supply at FSL unit in India by OEM direct or thru distributor.</li> <li>• Proof of such installation/commissioning should be provided.</li> </ul>
1.24	<b>Guaranty - 3 years</b>

### 3. TECHNICAL SPECIFICATION OF ENERGY DISPERSIVE X-RAY FLUORESCENCE SPECTROMETER AND ACCESSORIES

<b>Tender specification</b>
<b>General Requirements</b> The Energy Dispersive X-Ray Fluorescence spectrometer must be robust, user-friendly and flexible to analyse solid, powder, liquid samples, and measurement of film thickness as well composition. The spectrometer should be able to do the following general analysis:
1. Detection of Elements range in sample should be starting from C (Carbon) to U (Uranium).
2. Thin-film analysis/ plating thickness measurement as well as composition for semiconductors, discs, liquid crystals and solar cells.
3. Machine should able to analyse , SiO <sub>2</sub> , Al <sub>2</sub> O <sub>3</sub> , Fe <sub>2</sub> O <sub>3</sub> , MgO, Na <sub>2</sub> O, K <sub>2</sub> O, SO <sub>3</sub> , P <sub>2</sub> O <sub>5</sub> , TiO <sub>2</sub> , Mn <sub>2</sub> O <sub>3</sub> , SrO and Chloride in Gypsum and Limestone CaO
4. The machine should have features to test small quantities of organic samples film thickness

measurement of irregular-shaped plated sample and film thickness measurement of organic films
5. Ferrous/non-ferrous metal's component analysis and impurity analysis of raw materials, alloys, solder, and precious metals.
6. Analysis of ceramics, cement, glass, bricks, and clay.
7. Analysis of sulphur in oil, additive elements and mixed elements in lubricating oil.
<b>DETAILED TECHNICAL SPECIFICATIONS</b>
<b>1. X-Ray Generator</b>
1.1 The generator should be a 50W system.
1.2 The X-ray tube should have a Rh target for greater X-ray
1.3 The tube voltage should have a range of 4KV to 50 KV.
1.4 The tube current should have a range 1 $\mu$ A to 1000 $\mu$ A.
1.5 The system should have a protection circuit to protect it from a surge in voltage or current. Additionally, the circuit must prevent generation of radiations if the circuit is open at any point.
1.6 The exposure area should be variable between at least 1mm - 10mm diameter range. Switching of spot size should be automatic among the settings.
1.7 Cooling Method: Air Cooled (with Fan)
1.8 Energy resolution: 139 eV or less
<b>2. Detector</b>
2.1 The X-ray detector should be of Silicon Drift Detector with high sensitivity and wide dynamic range.
2.2 The X-Ray detector should be able to analyze samples in solid, liquid and powder form, as well as film thickness measurement.
2.3 It should be capable of a measurement range from Carbon (6C) to Uranium (92U).
2.4 It should be capable of measuring samples in air, vacuum & Helium atmosphere.
2.5 Machine should have He attachment for lighter liquid element.
2.6 Type Silicon drift detector (SDD).
2.7 Liquid Nitrogen: Not required (electronic cooling)
<b>3. COUNTING UNIT AND CONTROL UNIT</b>
3.1 The counting unit should have a digital signal processing system.
<b>4. MEASUREMENT COMPARTMENT UNIT</b>

- 4.1 A large sample chamber to accommodate odd sample sizes and shapes of at least 300mmX275mmX100mm.
- 4.2 The measurement compartment should incorporate a CMOS camera for accurate selection of target spot for analysis, sample observation and capturing a snapshot of the target spot for reporting, and future reference.
- 4.3 The unit should have a vacuum unit for high-sensitivity analysis of light elements.
- 4.4 The spectrometer should have five primary x-ray filters and one open. This is to enable operator the flexibility to enhance the detection sensitivity of targeted elements of interest. Changing of the filters should be automated.
- 4.5 Machine should have facility to upgrade in future for collimator of size 0.3 mm, if required.'
- 4.6 Sample Chamber: Measurement atmosphere: Instrument must have capability to test samples in Air, Vacuum & Helium.

#### **5. DATA MANAGEMENT SOFTWARE**

- 5.1 The software should have qualitative and quantitative measurement analysis.
- 5.2 The quantitative analysis software should be capable of performing high accuracy analysis using standard samples and calibration curve.
- 5.3 The quantitative analysis software should also be capable of performing effective analysis where standard samples are not available. This can be used to perform bulk analysis for samples such as oxides, metals and resins. It is effective also for analysis of film-thickness and compositions of coatings and thin films.
- 5.4 The quantitative analysis software should have various correction methods including intensity matrix-correction, intensity calculation, drift correction, blank correction, internal standard correction and overlap correction.
- 5.5 The software should have a wide array of user-defined utilities such selecting and viewing data, changing data display format, changing a processing profile, editing quantitative conditions, reloading and saving analytical conditions.
- 5.6 The software should have various report templates that can be user editable. The report templates must be able to extract and incorporate data such as image, calibration curve, analytical results and statistical data. The reports must be printable.
- 5.7 The software should have a database comprising a content library and an intensity library. The content library should be editable such as adding, deleting, copying and saving.
- 5.8 The software should be able to analyse the less volume as well irregular shape sample effectively.
- 5.9 The spectrometer should have a content matching software provided as standard.
- 5.10 Machine should have facility to connect the XRF with FTIR, if required to analyse contamination data and data comparison, which may require to study elemental analysis and compound analysis of same sample of raw material

**6. Standard Accessories**

6.1 Three set of 6µm-thick Mylar film consisting at least 500 sheets.

6.2 Three set of 100 sample cells for general purpose applications

6.3 One set of start-up kit comprising:

- One set of five disposal sample cells for general purpose use
- One set of five sample cells for general purpose use
- One set of five sample cells for trace analysis
- **He gas Cylinder 2 nos with attachment**
- One suitable table unit for placing EDXRF unit Two chairs.

6.4 One set of desktop computer comprising:

- 32" LCD Monitor
- Intel Core i7 processor or equivalent
- 1 TB Hard Disk
- 16 GB RAM
- Preloaded MS Windows 10/11 Professional edition
- MS Office edition
- Keyboard and optical mouse
- Colour Ink Tank printer and UPS of 3 KVA

**7. ( Others) Additional Accessories**

7.1 The supplier must provide training for the users of the instruments at site as well as at the supplier's application laboratory, after installation and commissioning.

7.2 The supplier must demonstrate that it has a proven appropriate set-up and capability to provide after-sales service efficiently and effectively. The supplier should have in his facility a similar system to that proposed in this tender for training purpose.

7.3 Software upgrades like version ups, if any, should be done without any cost.

7.4 The supplier must assist in the application of relevant regulatory licences.

7.5 The system must come with at least two years warranty.

7.6 Offered machine must be typed approved from AERB. Certificate to be attached.

7.7 Company must have more than 3 installations in various FSL for different applications and must have customer support centres in India to support customer for demonstration.

7.8 The quoted brand must have office in India, so that a better after sales support can be ensured.

DIRECTORATE OF FORENSIC SCIENCES  
MEGHALAYA, SHILLONG

**TENDER NOTICE**

Sealed tenders along with Brouchers/Catalogues for supply, installation and demonstration of items to the Directorate of Forensic Sciences Meghalaya Shillong will be received by the undersigned up to **12:00 hours of 16<sup>th</sup> September, 2025**, and will be opened on the same day at **1400 hours** by the undersigned. Details may be collected from the office of the undersigned on any working days.

Director,  
Directorate of Forensic Sciences,  
Meghalaya, Shillong.